



On-the-spot, compound-specific measurement of gases and vapours

Colorimetric Gas Detection Tubes and Pump



Key Features-Colorimetric Tubes

(See Colorimetric Tubes Part Numbers on next page)

- Wide assortment of tubes available to detect over 300 gases and vapours
- Easy to use, even in multiple layers of gloves
- Easy-to-read with sharp, clear colour change
- No calibration or other maintenance required

Key Features-Hand Pump (H-LP-1200)

(Piston Hand Pump Kit Part Number: H-010-0001-000)

- Ergonomic, durable hand pump
- Solid metal construction with lifetime warranty
- Springless piston design accurately draws 50 or 100 cc volumes

Typical Applications

- Oil and gas
- Chemicals and petrochemicals
- Agriculture and pest control
- Food and beverage production
- Environmental protection
- Fire service
- HazMat response
- National security



First responder uses Honeywell Colorimetric Tubes and Hand Pump to measure VOC levels inside a barrel.

Honeywell colorimetric gas detection tubes enable quick, on-the-spot measurement of a wide range of toxic and combustible gases and vapours.

Honeywell tubes are easy to read, and provide a sharp, clear colour change directly corresponding to the concentration of gas present. Honeywell tubes are compatible with the Honeywell piston hand pump, a reliable way to draw samples of an exact

volume required for the most accurate measurements.

- Quick, accurate, low-cost measurements
- Easy to read, with sharp, clear colour change
- No calibration needed



Colorimetric Gas Detection Tubes and Pump



Specifications

Type	Part Number	Standard Range	Extended Range
Acetone	H-10-111-40	0.1 to 2%	0.05 to 4%
Amines	H-10-132-10	0.5 to 10 ppmv	0.25 to 20 ppmv
Ammonia	H-10-100-05	1 to 30 ppmv	0.5 to 60 ppmv
	H-10-100-10	5 to 100 ppmv	2.5 to 200 ppmv
	H-10-100-12	10 to 260 ppmv	5 to 520 ppmv
	H-10-100-15	25 to 500 ppmv	12 to 1000 ppmv
	H-10-100-40	1 to 15%	0.5 to 30%
Benzene	H-10-101-01*	0.5 to 10 ppmv selective	0.25 to 30 ppmv
	H-10-101-10*	5 to 40 ppmv selective	2.5 to 200 ppmv
	H-10-101-20	5 to 100 ppmv	2.5 to 200 ppmv
1,3-Butadiene	H-10-135-04	0.5 to 5 ppmv	0.25 to 10 ppmv
n-Butane	H-10-137-30	25 to 1400 ppmv	12.5 to 2800 ppmv
Carbon Dioxide	H-10-104-30	300 to 5000 ppmv	150 to 10,000 ppmv
	H-10-104-40	0.05 to 1%	0.025 to 2%
	H-10-104-45	0.25 to 3%	0.125 to 6%
	H-10-104-50	1 to 20%	0.5 to 10%
	H-10-104-60	5 to 40%	1.25 to 20%
Carbon Monoxide	H-10-102-18	5 to 100 ppmv selective	2.5 to 300 ppmv
	H-10-102-20	5 to 100 ppmv	2.5 to 200 ppmv
	H-10-102-30	20 to 500 ppmv	10 to 1000 ppmv
	H-10-102-45	0.2 to 4%	0.1 to 8%
Chlorine	H-10-106-10	0.5 to 8 ppmv	0.25 to 16 ppmv
	H-10-106-20	5 to 100 ppmv	2.5 to 200 ppmv
Chlorine Dioxide	H-10-130-10	0.25 to 15 ppmv	0.05 to 30 ppmv
Diesel & Jet Fuel	H-10-143-10	0.5 to 25 ppmv	N/A
Ethanol	H-10-141-30	100 to 2000 ppmv	50 to 200 ppmv
Formaldehyde	H-10-121-05	0.1 to 5 ppmv	0.8 to 40 ppmv
Petrol	H-10-138-30	30 to 1000 ppmv	15 to 2000 ppmv
Hydrocarbons	H-10-110-30	50 to 1000 ppmv	25 to 2000 ppmv
Hydrogen Chloride	H-10-108-09	1 to 20 ppmv	0.5 to 40 ppmv
	H-10-108-10*	1 to 20 ppmv w/ desiccant	0.5 to 40 ppmv
	H-10-108-22	20 to 500 ppmv	10 to 1000 ppmv
Hydrogen Cyanide	H-10-126-10	2.5 to 60 ppmv	1.25 to 120 ppmv
Hydrogen Fluoride	H-10-105-10	0.5 to 20 ppmv	0.25 to 40 ppmv

Type	Part Number	Standard Range	Extended Range
Hydrogen Sulphide	H-10-103-04	0.2 to 3 ppmv	0.1 to 6 ppmv
	H-10-103-05*	0.2 to 3 ppmv w/ desiccant	0.1 to 6 ppmv
	H-10-103-06	1 to 7 ppmv	0.25 to 3.5 ppmv
	H-10-103-10	2.5 to 60 ppmv	1.25 to 120 ppmv
	H-10-103-12	0 to 150 ppmv	0 to 300 ppmv
	H-10-103-15	10 to 120 ppmv	5 to 240 ppmv
	H-10-103-18	25 to 250 ppmv	12.5 to 500 ppmv
	H-10-103-20	50 to 800 ppmv	25 to 1600 ppmv
	H-10-103-30	100 to 2000 ppmv	50 to 4000 ppmv
	H-10-103-40	0.1 to 2%	0.05 to 4%
	H-10-103-50	2 to 40%	0.5 to 20%
MEK	H-10-113-20	0.02 to 0.6 %	0.01 to 1.8 %
Mercaptans	H-10-129-20	5 to 120 ppmv	2.5 to 240 ppmv
Methyl Bromide	H-10-131-10*	1 to 18 ppmv	0.5 to 36 ppmv
	H-10-131-30*	20 to 300 ppmv	10 to 600 ppmv
Nitric Acid	H-10-146-20	1 to 20 ppm	0.5 to 40 ppm
Nitrogen Dioxide	H-10-117-10	0.5 to 30 ppmv	N/A
Nitrogen Oxides	H-10-109-20*	1 to 50 ppmv	0.5 to 100 ppmv
Ozone	H-10-133-03	0.05 to 0.6 ppmv	0.15 to 1.8 ppmv
Phenol	H-10-139-05	1 to 25 ppmv	0.5 to 180 ppmv
Phosphine	H-10-116-10	5 to 50 ppmv	2.5 to 100 ppmv
	H-10-116-20	25 to 500 ppmv	12.5 to 1000 ppmv
	H-10-116-25	50 to 1000 ppmv	25 to 2000 ppmv
Sulphur Dioxide	H-10-107-15	2 to 30 ppmv	1 to 60 ppmv
	H-10-107-20	5 to 100 ppmv	2.5 to 200 ppmv
	H-10-107-25	100 to 1800 ppmv	50 to 3600 ppmv
	H-10-107-30	200 to 4000 ppmv	50 to 2000 ppmv
	H-10-107-40	0.2 to 5 %	0.1 to 10 %
Toluene	H-10-114-20	10 to 300 ppmv	5 to 600 ppmv
Trichloroethylene	H-10-119-20*	5 to 100 ppmv	2.5 to 230 ppmv
Vinyl Chloride	H-10-128-10*	1 to 20 ppmv	0.5 to 40 ppmv
Water Vapour	H-10-120-10	2 to 10 lbs/MMCF (0.03 to 0.16 mg/L)	1 to 20 lbs/MMCF
	H-10-120-20	6 to 40 lbs/MMCF (0.1 to 0.64 mg/L)	3 to 80 lbs/MMCF
	H-10-120-30	0.05 to 1 mg/L	0.025 to 2 mg/L
	H-10-120-40	1 to 18 mg/L	0.5 to 32 mg/L
Xylenes	H-10-112-20	10 to 200 ppmv	5 to 400 ppmv

* Box contains 5 colorimetric tubes and 5 pre-tubes, for a total of 5 measurements. Other boxes contain 10 colorimetric tubes.

Honeywell Gas Detection



EMEA Headquarters

Customer Service (Sales)

Life Safety Distribution AG
Javastrasse 2
8604 Hegnau
Switzerland
Tel: +41 (0)44 943 4300
Fax: +41 (0)44 943 4398
India Tel: +91 124 4752700
gasdetection@honeywell.com

Technical Services (Workshops)

Email: BWexpert@honeywell.com
Email: HAexpert@honeywell.com
Email: BIOexpert@honeywell.com

Regional Contacts

Customer Service (Sales)

United Kingdom, Ireland, Netherlands and
West Nordics
Tel: +44 (0) 1295 700 300
Fax: +44 (0) 1295 700 301
Email: portablesUK@honeywell.com

Technical Services (Workshops)

Honeywell Analytics Ltd.
4 Stinsford Road
Nuffield Industrial Estate
Poole, Dorset, BH17 0RZ
United Kingdom
Tel: +44 (0) 1202 645 544
Fax: +44 (0) 1202 645 555

Europe South/East and Africa
(French speaking countries)
Tel: +33 (0)4 42 98 17 70
Fax: +33 (0)4 42 71 97 05
Email: portablesFR@honeywell.com

Honeywell Analytics
ZAC Athélia 4 - 375 avenue du Mistral
Bât B, Espace Mistral
13600 La Ciotat
France
Tel: +33 (0)4 42 98 17 75
Fax: +33 (0)4 42 71 97 05

Europe Central, Belgium, Luxembourg
and East Nordics
Tel: +49 (0) 89 791 92 17
Fax: +41 (0)44 943 4398
Email: portablesDE@honeywell.com

Honeywell Analytics
Elsenheimerstrasse 43
80687 München
Germany
Tel: +49 89 791 92 20
Fax: +49 89 791 92 43

Middle East, CIS, Africa
(English speaking countries)
Tel: +971 4 450 5852
Fax: +971 4 450 5910
Email: portablesUAE@honeywell.com

Honeywell Analytics
P.O. Box-45595
6th Street
Musaffah Industrial Area
Abu Dhabi
UAE
Tel: +971 2 554 6672
Fax: +971 2 554 6672

www.honeywellanalytics.com

Please Note:

While every effort has been made to ensure accuracy in this publication, no responsibility can be accepted for errors or omissions. Data may change, as well as legislation, and you are strongly advised to obtain copies of the most recently issued regulations, standards, and guidelines. This publication is not intended to form the basis of a contract.

H_CGT_DS01147_V1_EMEA

07/14

© 2014 Honeywell Analytics

Honeywell