

SIVACON, grounding strap, cross-section 16 mm² length 300 mm, hole diameter 6.5 mm / 8.5 mm current 120 A



| Model | |
|-----------------------------------|--------------------|
| product brand name | SIVACON |
| design of the product | 16 mm ² |
| design of the product EMC version | No |
| material | copper |
| product component | |
| • ventilation | No |

| Mechanical Design | |
|-------------------|--------|
| length | 300 mm |
| net weight | 70 g |

| Approvals Certificates | | |
|--------------------------|-------------------|-------|
| General Product Approval | Test Certificates | other |



[Special Test Certificate](#)

[Confirmation](#)

[Miscellaneous](#)

| other | Environment |
|-------|-------------|
|-------|-------------|

[Miscellaneous](#)



[Environmental Confirmations](#)

Further information

- Information on the packaging
<https://support.industry.siemens.com/cs/ww/en/view/109813875>
- Information- and Downloadcenter (Catalogs, Brochures,...)
<http://www.siemens.com/lowvoltage/catalogs>
- Industry Mall (Online ordering system)
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8MF1000-2HK1>
- Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
<https://support.industry.siemens.com/cs/ww/en/ps/8MF1000-2HK1>
- Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8MF1000-2HK1
- CAx-Online-Generator
<http://www.siemens.com/cax>
- Tender specifications
<http://www.siemens.com/specifications>

last modified:

5/26/2025 